



National Oil Spill Detection and Response Agency

FORM A

OIL SPILL NOTIFICATION REPORT

This report must be submitted within 24 hours of Spill Incidence

Section 1 – Site Organization		Mandatory Information Required	
Company Name		DANGOTE PETROLEUM REFINERY & PETROCHEMICALS FZE.	
Site Location Name		DANGOTE SPM # C2.	
Reporting Officer		CAPT. SHER SINGH SHERAWAT	
Designation		DY. HOD MARINE	
Phone Number		08077333282	
Email Address		SHER.SHERAWAT@DANGOTE.COM	
Incident Number		01/2026.	
Section 2 – Location			
State/ LGA		LEKKI OFFSHORE	
Coordinates of spill		06°21.2'N 003°52'E	
		☐ Inland ☐ River ☐ Mangrove ☐ Shoreline ☐ Port ☐ Harbour ☒ Offshore ☐ Subsea ☐ Swamp Area ☐ Others	
Depth of Water (if applicable)		40 METRS.	
Section 3 – Spill Details			
Date and Time of spill		01.01.2026 1718 LT.	
Source of spill – Facility		TRANSPORTATION FACILITIES ☐ Ocean Tanker/Ship ☐ Tank Truck ☐ Barge ☐ Tanker Vessel ☒ Pipeline PIPELINE (Specify pipeline diameter....15") ☐ Trunkline ☐ Flowline ☐ Bulkline ☐ Delivery line ☒ Export line ☐ Gas Line STORAGE TANKS ☐ Underground Storage Tanks ☐ Above-Ground Storage Tanks ☐ Others (specify)...N/A... PRODUCTION FACILITIES ☐ Well head ☐ Manifold ☐ Flow station ☐ Oil Rig ☐ Compressor Plant ☐ FPSO ☐ Refinery ☐ Others...N/A...	
Cause of spill		SPM C2 OUTER HOSE FOULED IN SHIPS PROPELLER	
Status of spill		☒ Contained ☐ Not Contained ☐ Unknown	
Containment Measures in Place		☐ Boom ☐ Skimmer ☐ Trenches ☐ Bund wall ☐ Sorbent ☒ Others (specify)...O.S.D	
Product Data	☐ Persistent		☐ Non Persistent
	Product Name/Type		OKWUIRBOME BLEND CO
	SG/API Gravity		0.8144 / 42.25
	Pour Point		-9°C
	Wax Content		4.85
	Asphaltene		<0.5
	Sulphur Content		0.0744
Viscosity		2.141	

Oil observation	Slick location(s)	DANGOTE SPM # C2
	Slick Dimension(s)	10 MTR X 10 MTR
	Orientation of slick(s)	SOUTHERLY
	Distribution of oil	SLIGHT PATCH.
	Obvious odour	NO
Oil descriptions	Tarballs (tb)	NO
	Convergence line (co)	NO
	No structure (ns)	NO
	Windrows (wr)	NO
	Streamers (st)	NO
	Patches (pa)	NO
Oil color and appearance	Silver/grey	YES
	Rainbow	NO
	Metallic	NO
	Transitional	NO
	Dark	NO
	Mousse	NO
Surveillance Method		☒ UAV (Drone) ☐ Satellite imagery ☐ Aircraft ☒ Boat ☐ On site ☐ Others.....

Section 4 - Approximate Duration

Release Rate	Instantaneous Release	YES	Continuous Release			NO
	CONTENT OF MARINE BREAKAWAY COUPLING (MBC)		Per hour	N/A	☐ Hours	☐ Days
Description of observed spill	Estimated Quantity (bbl)	LESS THAN 1 BBL.				
	Coverage	10 MTRS X 10 MTRS.				
	Direction of travel	S'LY.				

Section 5 - Weather

METEOROLOGICAL DATA

Wind Direction (wind direction given from)	SLT SEAS	NIMET weather forecast
Initial Wind Speed	5-6 KTS.	
Air Temperature (°C or °F)	28°C	
Visibility Estimate	☒ Good ☐ Fair ☐ Poor	

OCEANOGRAPHIC DATA

Water Current Speed	0.8
Tide Phase: Flood	High ☐ Ebb ☒
Water Temperature (°C or °F)	25°C
High Tide Time	1614 LT.
Source	LEKKI PORT

Section 6 - Pre-Entry Activities

Mechanical cleaning	Yes ☐ No ☒
Recovery of free phase oil	Yes ☐ No ☒
Booming	Yes ☐ No ☒
Wild life rehabilitation	Yes ☐ No ☒
Dispersant application	Yes ☒ No ☐

Section 7 - Oil Spill Model Request

Spill Modeling?	Trajectory	Surface 2D ☒	Sub-surface 3D ☐	Not at this time ☐
Additional information (please use start date and time including still photographs)				

Section 8- Equipment

On Site	OIL BOOM = 300 MTRS X 4 PCS. SKIMMERS = 02. SKIMMER PUMP = 04 OSD = 5000 LTR OBSERVANT PILLOW/PAD/BOOM = 100/200/12 SPRAY PUMP WITH 2 ARM = 1
---------	--

REPORTING OFFICER: Capt. SHER SINGH SHEKAWAT

DESIGNATION: DY. HOJ MARINE

SIGNATURE: 

DATE: 07/Jun/2026

*RBA Report must be submitted within 24 Hours of the Spill Incidence.