



National Oil Spill Detection & Response Agency

FORM A

OIL SPILL/LEAK NOTIFICATION REPORT

This report must be submitted within 24 hours of Spill Incidence

1. GENERAL INFORMATION:				
i. Company Name:	OVH ENERGY MARKETING LTD.			
ii. Incident Details:-	Date of Incidence (dd/mm/yy)	Time of Incidence (24h standard/daylight)	Date of Observation (dd/mm/yy)	Time of Observation (24h standard/daylight)
iii. Spill Reference No:	20/11/18	0000 hrs to 0500 hrs	20/11/18	0500 hrs to 0504 hrs
Survey By: Foot/Boat / Helicopter / Overlook /		Sun / Clouds / Fog / Rain / Snow / Windy		
Level of Impact: ☐ No Impact ☒ Slight Impact ☐ Heavy Impact				
Estimated quantity spilled: 1,000 litres.				
2. Site Details				
i. Site Name:	KAYODE STREET - APAPA		OML:	N/A
ii. GPS FIELD POINTS Total Length _____ m Length Surveyed _____ m Differential GPS Yes/No				
Spill Start Point GPS: EASTINGS 3° 21' 40.62" E _____ meters	NOTHING 6° 27' 35.00" N _____ meters			
Spill End Point GPS: EASTINGS 3° 21' 40.62" E _____ meters	NOTHING 6° 27' 34.99" N _____ meters			
iii. Site area				
☐ Land Swamp ☐ Freshwater ☐ Mangrove ☐ Coastline ☐ Near Shore				
☐ Offshore ☐ Others (Specify) INTERLOCKED PAVEMENT ACCESS ROAD				
iv. Containment Measures in Place				
☐ Boom ☐ Trenches ☐ Bund wall ☐ Sorbents ☐ Others (Specify) N/A				
v. Type of Contaminant				
☐ Crude Oil ☐ Condensate ☐ Chemicals ☒ Refined Products ☐ Others (Specify) _____				
vi. Facility				
☒ Pipeline ☐ Flow line ☐ Wellhead ☐ Manifold ☐ Flow Station ☐ Rig				
☐ Storage Tank ☐ Compressor Plant ☐ Others (Specify) _____				
vii. Properties at Risk				
☐ Farmland ☐ Fish Pond ☐ Vegetation ☐ Fishing Net ☐ Surface water				
☐ Venerable Objects ☐ Others (Specify) ACCESS ROAD				
3. SURVEY TEAM NO Name Organization Phone Numbers				
2634	JOHN ELIJAH	OVH ENERGY	0705 889 3184	
2635	YAROSLAV	OVH ENERGY	0805 119 8617	
2636	ELIJAH	OVH ENERGY	0705 0400 156	
2637	UWAEZUORE	OVH ENERGY	0705 899 1830	
REPORTING OFFICER: IGBOZIO UWAEZUORE O.				
DESIGNATION: OPS SUPERVISOR.				
SIGNATURE: _____ DATE: 20/11/18				
*RBA Report must be submitted within 24 Hours of the Spill Incidence.				